Medications Quiz (2nd Year)

Which of the following antibiotics are safe to give to a patient who is allergic to **Penicillin**? Circle the right answer/s!

Co-Amoxiclav

Flucloxacillin

Flucloxacillin	Co-Amoxiclav	Clarithromycin
Benzylpenicillin	Clindamycin	Teicoplanin
What does PPI stand for and wha	t is its use?	
Name these 3 common PPI medic		
• L		
How often can you take these pai	n relief medications?	
Codeine PhosphateIbuprofenZomorph		
	why?	ne Sulphate, which observation
What do Gliclazide and Metformi		
Is Actrapid given to treat hypoglyo	caemia or hyperglycaemia?	

What is it?!

Before this drug is given you should check a patient's heart rate. If it is below 60 BPM, it should be deferred, and the doctor's advice should be sought.		
Before giving the following medications, what observation should be checked? Ramipril, Atenolol, Bendroflumathiazide, Amlodipine.		
What should be checked before giving Levemir , Humulin and Novorapid ?		
What is the recommended dose of Tinzaparin for patients who weigh the following? Below 50KG		
What is the difference between therapeutic and prophylactic Tinzaparin ?		
What are Chlorphenamine and Cetirizine used for?		
What is Naloxone used for?		